

Health Outcomes Policy Priority	2011 ¹ Measures	2013 Measures	2015 Measures	Recommended For Definitive 2011 Implementation	Recommended For Definitive 2013 Implementation	Recommended Directional Statement Of Intent For 2013 or 2015	Standards Gaps	Notes
Improve quality, safety, efficiency, and reduce health disparities	<ul style="list-style-type: none"> Report quality measures to CMS including: 	<ul style="list-style-type: none"> Additional quality reports using HIT-enabled NQF-endorsed quality measures [EP, IP] 	<ul style="list-style-type: none"> Clinical outcome measures (TBD) [OP, IP] 					
	<ul style="list-style-type: none"> o % diabetics with A1c under control [EP] 			<p>Measures based on standards selected in HITSP capabilities #117, 118, 119, 120, 126, 127, 140, specifically including:</p> <ul style="list-style-type: none"> C32 continuity of care document (CCD) using SNOMED CT problem list - and - Transmittal of prescriptions, refills, renewals, and dispensing status using RxNorm drugs - and - Access to formulary and benefit information - and - Communication of clinical lab results using LOINC tests and UCUM units of measure - and - ICD-9 may be used in place of SNOMED CT for 2011 and 2012 reporting of measures - and - Local or proprietary codes may be used for 2011 and 2012 reporting of measures - and - Unstructured as well as structured documents may be used for purposes of 2011 and 2012 reporting of measures 	<p>Measures based on standards selected in HITSP capabilities #117, 118, 119, 126, 127, 140, specifically including:</p> <ul style="list-style-type: none"> C32 continuity of care document (CCD) using SNOMED CT problem list - and - Transmittal of prescriptions, refills, renewals, and dispensing status using RxNorm drugs - and - Access to formulary and benefit information - and - Communication of clinical lab results using LOINC tests and UCUM units of measure - and - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures. 	<p>SNOMED CT to be required as applicable for 2015</p>		
	<ul style="list-style-type: none"> o % hypertensive patients with BP under control [EP] 	<ul style="list-style-type: none"> . % of all orders entered by physicians through CPOE [EP, IP] 	<ul style="list-style-type: none"> Efficiency measures (TBD) [OP, IP] 	<p>Measures based on standards selected in HITSP capabilities #117, 118, 119, 120, specifically including:</p> <ul style="list-style-type: none"> C32 continuity of care document (CCD) using SNOMED CT problem list - and - Transmittal of prescriptions, refills, renewals, and dispensing status using RxNorm drugs - and - Access to formulary and benefit information - and - ICD-9 may be used in place of SNOMED CT for 2011 and 2012 reporting of measures - and - Local or proprietary codes may be used for drug information for 2011 and 2012 reporting of measures - and - Unstructured as well as structured documents may be used for purposes of 2011 and 2012 reporting of measures. 	<p>Measures based on standards selected in HITSP capabilities #117, 118, 119, 120, specifically including:</p> <ul style="list-style-type: none"> C32 continuity of care document (CCD) using SNOMED CT problem list - and - Transmittal of prescriptions, refills, renewals, and dispensing status using RxNorm drugs - and - Access to formulary and benefit information - and - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures. 	<p>SNOMED CT to be required as applicable for 2015</p>		

Health Outcomes Policy Priority	2011 ¹ Measures	2013 Measures	2015 Measures	Recommended For Definitive 2011 Implementation	Recommended For Definitive 2013 Implementation	Recommended Directional Statement Of Intent For 2013 or 2015	Standards Gaps	Notes
	0 % of patients with LDL under control [EP]			<p>Measures based on standards selected in HITSP capabilities #117, 118, 119, 120, 126, 127, specifically including:</p> <ul style="list-style-type: none"> C32 continuity of care document (CCD) using SNOMED CT problem list - and - Transmittal of prescriptions, refills, renewals, and dispensing status using RxNorm drugs - and - Access to formulary and benefit information - and - Communication of clinical lab results using LOINC tests and UCUM units of measure - and - ICD-9 may be used in place of SNOMED CT for 2011 and 2012 reporting of measures - and - Local or proprietary codes may be used for 2011 and 2012 reporting of measures - and - Unstructured as well as structured documents may be used for purposes of 2011 and 2012 reporting of measures. 	<p>Measures based on standards selected in HITSP capabilities #117, 118, 119, 120, 126, 127, specifically including:</p> <ul style="list-style-type: none"> C32 continuity of care document (CCD) using SNOMED CT problem list - and - Transmittal of prescriptions, refills, renewals, and dispensing status using RxNorm drugs - and - Access to formulary and benefit information - and - Communication of clinical lab results using LOINC tests and UCUM units of measure - and - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures. 	<p>Remote device monitoring information standards and specifications included in 2015 or in 2013.</p> <p>SNOMED CT to be required as applicable for 2015</p>		
	0 % of smokers offered smoking cessation counseling [EP, IP]	<ul style="list-style-type: none"> · Potentially preventable Emergency Department Visits and Hospitalizations [IP] 	<ul style="list-style-type: none"> · Safety measures (TBD) [OP, IP] 	Ad hoc reporting.	Ad hoc reporting.	The use of standards for the measure may be introduced in 2015.	No EHR standards are known for reporting of the measure.	
	· % of patients with recorded BMI [EP]	<ul style="list-style-type: none"> · Inappropriate use of imaging (e.g., MRI for acute low back pain) [EP, IP] 		Ad hoc reporting.	Ad hoc reporting pending resolution of the noted gap.	The use of standards for the measure may be introduced in 2013 or 2015.	<p>No standard is known that requires recording of BMI vs. its component measurements.</p> <p>Patient population and time parameters need to be defined for ad hoc reporting as well as future standardized reporting.</p>	

Health Outcomes Policy Priority	2011 ¹ Measures	2013 Measures	2015 Measures	Recommended For Definitive 2011 Implementation	Recommended For Definitive 2013 Implementation	Recommended Directional Statement Of Intent For 2013 or 2015	Standards Gaps	Notes
	<ul style="list-style-type: none"> - % eligible surgical patients who receive VTE prophylaxis [IP] 	<ul style="list-style-type: none"> - Other efficiency measures (TBD) [EP, IP] 		<p>Measures based on standards selected in HITSP capabilities #117, 118, 119, 120, 126, 127, 137, 140, specifically including:</p> <ul style="list-style-type: none"> - C32 continuity of care document (CCD) using SNOMED CT problem list - and - - Transmittal of prescriptions, refills, renewals, and dispensing status using RxNorm drugs - and - - Access to formulary and benefit information - and - - Communication of clinical lab results using LOINC tests and UCUM units of measure - and - - ICD-9 may be used in place of SNOMED CT for 2011 and 2012 reporting of measures - and - - Local or proprietary codes may be used for 2011 and 2012 reporting of measures - and - - Unstructured as well as structured documents may be used for purposes of 2011 and 2012 reporting of measures. 	<p>Measures based on standards selected in HITSP capabilities #117, 118, 119, 120, 126, 127, 137, 140, specifically including:</p> <ul style="list-style-type: none"> - C32 continuity of care document (CCD) using SNOMED CT problem list - and - - Transmittal of prescriptions, refills, renewals, and dispensing status using RxNorm drugs - and - - Access to formulary and benefit information - and - - Communication of clinical lab results using LOINC tests and UCUM units of measure - and - - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures. 	<p>SNOMED CT to be required as applicable for 2015</p>	<p>HITSP has noted standards gaps for surgical incision time and anesthesia end time.</p> <p>Additional standards gaps exist for nursing interventions, non-pharmacological treatments, and surgical records.</p>	
	<ul style="list-style-type: none"> - % of orders (for medications, lab tests, procedures, radiology, and referrals) entered directly by physicians through CPOE 			<p>Measures based on standards selected in HITSP capabilities #117, 118, 119, 120, 121, 126, 127, 128, 137, 141, specifically including:</p> <ul style="list-style-type: none"> - C32 continuity of care document (CCD) - and - - Transmittal of prescriptions, refills, renewals using RxNorm drugs - and - - Access to formulary and benefit information - and - - Communication of clinical lab information using LOINC tests - and - - Communication of imaging information - and - - Referral and encounter information - and - - ICD-9 may be used in place of SNOMED CT for 2011 and 2012 reporting of measures - and - - Local or proprietary codes may be used for 2011 and 2012 reporting of measures - and - - Unstructured as well as structured documents may be used for purposes of 2011 and 2012 reporting of measures. 	<p>Measures based on standards selected in HITSP capabilities #117, 118, 119, 121, 126, 127, 128, 137, 141, specifically including:</p> <ul style="list-style-type: none"> - C32 continuity of care document (CCD) - and - - Transmittal of prescriptions, refills, renewals using RxNorm drugs - and - - Access to formulary and benefit information - and - - Communication of clinical lab information using LOINC tests - and - - Communication of imaging information - and - - Referral and encounter information - and - - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures 	<p>SNOMED CT to be required as applicable for 2015</p>	<p>Order standards gaps TBD may include laboratory, radiology and procedures</p>	

Health Outcomes Policy Priority	2011 ¹ Measures	2013 Measures	2015 Measures	Recommended For Definitive 2011 Implementation	Recommended For Definitive 2013 Implementation	Recommended Directional Statement Of Intent For 2013 or 2015	Standards Gaps	Notes
	<ul style="list-style-type: none"> - Use of high-risk medications (Re: Beers criteria) in the elderly 			Measures based on standards selected in HITSP capabilities #117, 118, 119, 120, 140, specifically including: C32 continuity of care document (CCD) - and - Transmittal of prescriptions, refills, renewals using RxNorm drugs - and - Access to formulary and benefit information - and - ICD-9 may be used in place of SNOMED CT for 2011 and 2012 reporting of measures - and - Local or proprietary codes may be used for 2011 and 2012 reporting of measures - and - Unstructured as well as structured documents may be used for purposes of 2011 and 2012 reporting of measures.	Measures based on standards selected in HITSP capabilities #117, 118, 119, 140, specifically including: C32 continuity of care document (CCD) - and - Transmittal of prescriptions, refills, renewals using RxNorm drugs - and - Access to formulary and benefit information - and - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures		Gaps TBD	
	<ul style="list-style-type: none"> - % of patients over 50 with annual colorectal cancer screenings [EP] 			Measures based on standards selected in HITSP capabilities #119, 120, 126, 127, 128, 137, specifically including: C32 continuity of care document (CCD) - and - Communication of clinical lab information using LOINC tests - and - Communication of imaging information - and - Encounter information - and - ICD-9 may be used in place of SNOMED CT for 2011 and 2012 reporting of measures - and - Local or proprietary codes may be used for laboratory information for 2011 and 2012 reporting of measures - and - Unstructured as well as structured documents may be used for purposes of 2011 and 2012 reporting of measures.	Measures based on standards selected in HITSP capabilities #117, 118, 119, 126, 127, 128, 137, specifically including: C32 continuity of care document (CCD) - and - Transmittal of prescriptions, refills, renewals using RxNorm drugs - and - Access to formulary and benefit information - and - Communication of clinical lab information using LOINC tests - and - Communication of imaging information - and - Encounter information - and - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures	SNOMED CT to be required as applicable for 2015		

Health Outcomes Policy Priority	2011 ¹ Measures	2013 Measures	2015 Measures	Recommended For Definitive 2011 Implementation	Recommended For Definitive 2013 Implementation	Recommended Directional Statement Of Intent For 2013 or 2015	Standards Gaps	Notes
	<ul style="list-style-type: none"> - % of females over 50 receiving annual mammogram [EP] 			<p>Measures based on standards selected in HITSP capabilities #119, 120, 128, 137, specifically including:</p> <ul style="list-style-type: none"> C32 continuity of care document (CCD) - and - Communication of imaging information - and - Encounter information - and - ICD-9 may be used in place of SNOMED CT for 2011 and 2012 reporting of measures - and - Local or proprietary codes may be used for 2011 and 2012 reporting of measures - and - Unstructured as well as structured documents may be used for purposes of 2011 and 2012 reporting of measures. 	<p>Measures based on standards selected in HITSP capabilities #117, 118, 119, 128, 137, specifically including:</p> <ul style="list-style-type: none"> C32 continuity of care document (CCD) - and - Transmittal of prescriptions, refills, renewals using RxNorm drugs - and - Access to formulary and benefit information - and - Communication of clinical lab information using LOINC tests - and - Communication of imaging information - and - Encounter information - and - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures 	<p>SNOMED CT to be required as applicable for 2015</p>		
	<ul style="list-style-type: none"> - % patients at high-risk for cardiac events on aspirin prophylaxis [EP] 			<p>Measures based on standards selected in HITSP capabilities #117, 118, 119, 120, 137, 140, specifically including:</p> <ul style="list-style-type: none"> C32 continuity of care document (CCD) - and - Transmittal of prescriptions, refills, renewals using RxNorm drugs - and - Access to formulary and benefit information - and - Encounter information - and - ICD-9 may be used in place of SNOMED CT for 2011 and 2012 reporting of measures - and - Local or proprietary codes may be used for 2011 and 2012 reporting of measures - and - Unstructured as well as structured documents may be used for purposes of 2011 and 2012 reporting of measures. 	<p>Measures based on standards selected in HITSP capabilities #117, 118, 119, 137, 140, specifically including:</p> <ul style="list-style-type: none"> C32 continuity of care document (CCD) - and - Transmittal of prescriptions, refills, renewals using RxNorm drugs - and - Access to formulary and benefit information - and - Encounter information - and - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures 	<p>SNOMED CT to be required as applicable for 2015</p>	<p>Standards for patient self reporting of medications</p>	

Health Outcomes Policy Priority	2011 ¹ Measures	2013 Measures	2015 Measures	Recommended For Definitive 2011 Implementation	Recommended For Definitive 2013 Implementation	Recommended Directional Statement Of Intent For 2013 or 2015	Standards Gaps	Notes
	<ul style="list-style-type: none"> - % of patients who received flu vaccine [EP] 			<p>Measures based on standards selected in HITSP capabilities #117, 118, 119, 120, 137, 140, specifically including:</p> <ul style="list-style-type: none"> C32 continuity of care document (CCD) - and - Transmittal of prescriptions, refills, renewals using RxNorm drugs - and - Access to formulary and benefit information - and - Encounter information - and - ICD-9 may be used in place of SNOMED CT for 2011 and 2012 reporting of measures - and - Local or proprietary codes may be used for 2011 and 2012 reporting of measures - and - Unstructured as well as structured documents may be used for purposes of 2011 and 2012 reporting of measures - and - measures based on applicable PQRI codes may be used for purposes of 2011 and 2012 reporting of measures. 	<p>Measures based on standards selected in HITSP capabilities #117, 118, 119, 137, 140, specifically including:</p> <ul style="list-style-type: none"> C32 continuity of care document (CCD) - and - Transmittal of prescriptions, refills, renewals using RxNorm drugs - and - Access to formulary and benefit information - and - Encounter information - and - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures 	<p>SNOMED CT to be required as applicable for 2015</p>		
	<ul style="list-style-type: none"> - % lab results incorporated into EHR in coded format [EP, IP] 			<p>Measures based on standards selected in HITSP capabilities #119, 120, 126, 127, specifically including:</p> <ul style="list-style-type: none"> C32 continuity of care document (CCD) - and - Communication of clinical lab results using LOINC tests and UCUM units of measure - and - ICD-9 may be used in place of SNOMED CT for 2011 and 2012 reporting of measures - and - Local or proprietary codes may be used for 2011 and 2012 reporting of measures - and - Unstructured as well as structured documents may be used for purposes of 2011 and 2012 reporting of measures 	<p>Measures based on standards selected in HITSP capabilities #119, 126, 127, specifically including:</p> <ul style="list-style-type: none"> C32 continuity of care document (CCD) - and - Communication of clinical lab results using LOINC tests and UCUM units of measure - and - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures 	<p>SNOMED CT to be required as applicable for 2015</p>	<p>Standards for blood bank; surgical pathology results; genetic test results</p>	
	<ul style="list-style-type: none"> - Stratify reports by gender, insurance type, primary language, race ethnicity [EP, IP] 			<p>TBD</p>	<p>TBD</p>	<p>TBD</p>	<p>TBD</p>	<p>Standards recommended for other measures may apply to this measure.</p>

Health Outcomes Policy Priority	2011 ¹ Measures	2013 Measures	2015 Measures	Recommended For Definitive 2011 Implementation	Recommended For Definitive 2013 Implementation	Recommended Directional Statement Of Intent For 2013 or 2015	Standards Gaps	Notes
	<ul style="list-style-type: none"> - % of all medications, entered into EHR as generic, when generic options exist in the relevant drug class [EP, IP] 			Measures based on standards selected in HITSP capabilities #117, 118, 119, 120, 140, specifically including: C32 continuity of care document (CCD) - and - Transmittal of prescriptions, refills, renewals using RxNorm drugs - and - Access to formulary and benefit information - and - ICD-9 may be used in place of SNOMED CT for 2011 and 2012 reporting of measures - and - Local or proprietary codes may be used for 2011 and 2012 reporting of measures - and - Unstructured as well as structured documents may be used for purposes of 2011 and 2012 reporting of measures.	Measures based on standards selected in HITSP capabilities #117, 118, 119, 140, specifically including: C32 continuity of care document (CCD) - and - Transmittal of prescriptions, refills, renewals using RxNorm drugs - and - Access to formulary and benefit information - and - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures	SNOMED CT to be required as applicable for 2015		
	<ul style="list-style-type: none"> - % of orders for high-cost imaging services with specific structured indications recorded [EP, IP] 			TBD	TBD	TBD	TBD	Standards recommended for other measures may apply to this measure.
	<ul style="list-style-type: none"> - % claims submitted electronically to all payers [EP, IP] 			TBD	TBD	TBD	TBD	Standards recommended for other measures may apply to this measure.
	<ul style="list-style-type: none"> - % patient encounters with insurance eligibility confirmed [EP, IP] 			TBD	TBD	TBD	TBD	Standards recommended for other measures may apply to this measure.

Health Outcomes Policy Priority	2011 ¹ Measures	2013 Measures	2015 Measures	Recommended For Definitive 2011 Implementation	Recommended For Definitive 2013 Implementation	Recommended Directional Statement Of Intent For 2013 or 2015	Standards Gaps	Notes
Engage patients and families	<ul style="list-style-type: none"> - % of all patients with access to personal health information electronically [EP, IP] 	<ul style="list-style-type: none"> - % of patients with full access to PHR populated in real time with EHR data [OP, IP] 	<ul style="list-style-type: none"> - NPP quality measures, related to patient and family engagement [OP, IP] 	Measures based on standards selected in HITSP capabilities #119, 120, specifically including: <ul style="list-style-type: none"> - C32 continuity of care document (CCD) using SNOMED CT problem list and RxNorm drugs - and - - ICD-9 may be used in place of SNOMED CT for 2011 and 2012 reporting of measures - and - - Local or proprietary codes may be used for 2011 and 2012 reporting of measures - and - - Unstructured as well as structured documents may be used for purposes of 2011 and 2012 reporting of measures 	Measures based on standards selected in HITSP capabilities #119, specifically including: <ul style="list-style-type: none"> - C32 continuity of care document (CCD) using SNOMED CT problem list and RxNorm drugs -and - - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures. 	SNOMED CT to be required as applicable for 2015		
	<ul style="list-style-type: none"> - % of all patients with access to patient specific educational resources [EP, IP] 	<ul style="list-style-type: none"> - Additional patient access and experience reports using NQF-endorsed HIT-enabled quality measures [EP, IP] 	-	TBD	TBD	TBD	TBD	Standards recommended for other measures may apply to this measure.
	<ul style="list-style-type: none"> - % of encounters for which clinical summaries were provided [EP] 	<ul style="list-style-type: none"> - % of patients with access to secure patient messaging [EP] 		Measures based on standards selected in HITSP capabilities #119, 120, specifically including: <ul style="list-style-type: none"> - C32 continuity of care document (CCD) using SNOMED CT problem list and RxNorm drugs - and - - ICD-9 may be used in place of SNOMED CT for 2011 and 2012 reporting of measures - and - - Local or proprietary codes may be used for 2011 and 2012 reporting of measures - and - - Unstructured as well as structured documents may be used for purposes of 2011 and 2012 reporting of measures 	Measures based on standards selected in HITSP capabilities #119, specifically including: <ul style="list-style-type: none"> - C32 continuity of care document (CCD) using SNOMED CT problem list and RxNorm drugs -and - - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures. 	SNOMED CT to be required as applicable for 2015		
		<ul style="list-style-type: none"> - % of educational content in common primary languages [EP, IP] 			TBD	TBD	TBD	Standards recommended for other measures may apply to this measure.

Health Outcomes Policy Priority	2011 ¹ Measures	2013 Measures	2015 Measures	Recommended For Definitive 2011 Implementation	Recommended For Definitive 2013 Implementation	Recommended Directional Statement Of Intent For 2013 or 2015	Standards Gaps	Notes
		· % of all patients with preferences recorded [IP]			TBD	TBD	TBD	Standards recommended for other measures may apply to this measure.
		· % of transitions where summary care record is shared [EP, IP]			Measures based on standards selected in HITSP capabilities #119, specifically including: C32 continuity of care document (CCD) using SNOMED CT problem list and RxNorm drugs -and - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures.	SNOMED CT to be required as applicable for 2015		
		· Implemented ability to incorporate data uploaded from home monitoring devices [EP]			TBD	TBD	TBD	Standards recommended for other measures may apply to this measure.
Improve care coordination	· Report 30-day readmission rate [IP]	· Access to comprehensive patient data from all available sources	· Aggregate clinical summaries from multiple sources available to authorized users [OP, IP]	TBD	TBD	TBD	TBD	Standards recommended for other measures may apply to this measure.
	· % of encounters where med reconciliation was performed [EP, IP]	· 10 % reduction in 30-day readmission rates for 2013 compared to 2012	· NQF-endorsed Care Coordination Measures (TBD)	TBD	TBD	TBD	TBD	Standards recommended for other measures may apply to this measure.

Health Outcomes Policy Priority	2011 ¹ Measures	2013 Measures	2015 Measures	Recommended For Definitive 2011 Implementation	Recommended For Definitive 2013 Implementation	Recommended Directional Statement Of Intent For 2013 or 2015	Standards Gaps	Notes
	<ul style="list-style-type: none"> Implemented ability to exchange health information with external clinical entity (specifically labs, care summary and medication lists) [EP, IP] 			Measures based on standards selected in HITSP capabilities #117, 118, 119, 120, 127 specifically including: C32 continuity of care document (CCD) using SNOMED CT problem list - and - Transmittal of prescriptions, refills, renewals, and dispensing status using RxNorm drugs - and - Communication of clinical lab results CDA documents using LOINC tests and UCUM units of measure - and - ICD-9 may be used in place of SNOMED CT for 2011 and 2012 reporting of measures - and - Local or proprietary codes may be used for 2011 and 2012 reporting of measures - and - Unstructured as well as structured documents may be used for purposes of 2011 and 2012 reporting of measures	Measures based on standards selected in HITSP capabilities #117, 118, 119, 127, specifically including: C32 continuity of care document (CCD) using SNOMED CT problem list - and - Transmittal of prescriptions, refills, renewals, and dispensing status using RxNorm drugs - and - Access to formulary and benefit information - and - Communication of clinical lab results CDA documents using LOINC tests and UCUM units of measure - and - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures.	SNOMED CT to be required as applicable for 2015		
		<ul style="list-style-type: none"> Improvement in NQF-endorsed measures of care coordination. 			TBD	TBD	TBD	Standards recommended for other measures may apply to this measure.
	<ul style="list-style-type: none"> % of transitions in care for which summary care record is shared (e.g., electronic, paper, e-Fax) [EP, IP] 			When summary records are electronic, measures based on standards selected in HITSP capabilities #119, 120, specifically including: C32 continuity of care document (CCD) using SNOMED CT problem list and RxNorm drugs - and - ICD-9 may be used in place of SNOMED CT for 2011 and 2012 reporting of measures - and - Local or proprietary codes may be used for 2011 and 2012 reporting of measures - and - Unstructured as well as structured documents may be used for purposes of 2011 and 2012 reporting of measures	When summary records are electronic, measures based on standards selected in HITSP capabilities #119, specifically including: C32 continuity of care document (CCD) using SNOMED CT problem list and RxNorm drugs -and - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures.	SNOMED CT to be required as applicable for 2015		

Health Outcomes Policy Priority	2011 ¹ Measures	2013 Measures	2015 Measures	Recommended For Definitive 2011 Implementation	Recommended For Definitive 2013 Implementation	Recommended Directional Statement Of Intent For 2013 or 2015	Standards Gaps	Notes
Improve population and public health	<ul style="list-style-type: none"> Report up-to-date status for childhood immunizations [EP]⁷ 	<ul style="list-style-type: none"> % of patients for whom an assessment of immunization need and status has been completed during the visit [EP]⁷ 	<ul style="list-style-type: none"> HIT-enabled population measures [OP, IP] 	<p>Measures based on standards selected in HITSP capabilities #117, 118, 119, 120, 132, 133, specifically including:</p> <ul style="list-style-type: none"> C32 continuity of care document (CCD) - and - Transmittal of prescriptions, refills, renewals using RxNorm drugs - and - Retrieve immunization registry information and communicate immunization information - and - ICD-9 may be used in place of SNOMED CT for 2011 and 2012 reporting of measures - and - Local or proprietary codes may be used for 2011 and 2012 reporting of measures - and - Unstructured as well as structured documents may be used for purposes of 2011 and 2012 reporting of measures. 	<p>Measures based on standards selected in HITSP capabilities #117, 118, 119, 132, 133, specifically including:</p> <ul style="list-style-type: none"> C32 continuity of care document (CCD) - and - Transmittal of prescriptions, refills, renewals using RxNorm drugs - and - Retrieve immunization registry information and communicate immunization information - and - ICD-10 may be used in place of SNOMED CT for 2013 and 2014 reporting of measures 	TBD		
	<ul style="list-style-type: none"> % reportable lab results submitted electronically [IP] 	<ul style="list-style-type: none"> % of patients for whom a public health alert should have triggered and audit evidence that a trigger appeared during the encounter 	<ul style="list-style-type: none"> HIT-enabled surveillance measure [OP, IP] 	TBD	TBD	TBD	TBD	Standards recommended for other measures may apply to this measure.
Ensure adequate privacy and security protections for personal health information	<ul style="list-style-type: none"> Full compliance with HIPAA Privacy and Security Rules 	<ul style="list-style-type: none"> Provide summarized or de-identified data when reporting data for health purposes (e.g., public health, quality reporting, and research), where appropriate, so that important information is available with minimal privacy risk. 	<ul style="list-style-type: none"> Provide patients, on request, with a timely accounting of disclosures for treatment, payment, and health care operations, in compliance with applicable law. 	N/A for Clinical Operations Workgroup	TBD	TBD		

Health Outcomes Policy Priority	2011 ¹ Measures	2013 Measures	2015 Measures	Recommended For Definitive 2011 Implementation	Recommended For Definitive 2013 Implementation	Recommended Directional Statement Of Intent For 2013 or 2015	Standards Gaps	Notes
			<ul style="list-style-type: none"> Incorporate and utilize technology to segment sensitive data 			TBD	TBD	
	<ul style="list-style-type: none"> Conduct or update a security risk assessment and implement security updates as necessary 			N/A for Clinical Operations Workgroup	N/A for Clinical Operations Workgroup	N/A for Clinical Operations Workgroup		